NCCC° Since 1914

Power Products 2016

About **NOCO**.

The NOCO Company was founded in 1914 in Cleveland, Ohio. Joseph Henry Nook, a local tire and battery distributor, set out to develop a product that would prevent battery corrosion. After several hundred different formulations, Mr. Nook began commercially manufacturing and distributing the world's first Battery Corrosion Preventative which he called NCP2. NCP2 is an acronym for "No Corrosion Product" which is applied in "2 Steps". The NCP2 brand quickly became a household name in every major battery and automotive shop. For over 100 years, the NCP2 brand has been preventing battery corrosion on over one billion vehicles and applications worldwide.

Since then, NOCO has grown into a leading designer and manufacturer of innovative consumer-based battery and power products.


The NOCO Company

30339 Diamond Parkway, #102 Glenwillow, OH 44139

United States Of America

800.456.6626

no.co





UltraSafe

GB150 12V 4000A **22500** joules 3S

Features Integrated Clamps

12V 15A Out Port

GB70 12V 2000A

NOCO Designed In the **USA** Patent US 9,007,015 B1

joules = Power (w) X Time (sec)

Joules³⁵ is the actual amount of

power delivered over 3 seconds.

12V 15A Out Port 12V 3A Fast Recharge 15700 joules 3S USB IN & USB Out



Heavy Duty

GB40

12V 1000A

7000 joules3S

Safe, powerful jump starting.

Designed for most vehicles including ATVs, lawn

mowers, motorcycles, cars, trucks, boats, RVs,

GB20

12V 400A

4650 joules^{3S}

Sport & Car

but still safe on engines of all sizes.

w/Integrated Evelets USB IN & USB Out

tractors, equipment and more. New more powerful models for diesel and high-displacement engines,

Gas Only

Car & Truck

Professional







Smart charging, for all sizes.

Designed for ATVs, lawn mowers, motorcycles, cars, trucks, boats, RVs, tractors, equipment and more.

6V&12V 1.1A X 4

12V Cold/AGM 6V Norm 12V Lithium



G750

G1100

6V&12V

1.1A

6V&12V .75A

> Modes: 12V Norm



G3500

6V&12V 3.5A

Modes:

12V Norm Small 6V Norm



All Chargers Include:

G7200

12V&24V 7.2A

Modes:

12V Norm 12V Cold/AGM 24V Norm



G15000

12V&24V 15A

Modes:

12V Cold/AGM 24V Norm





G26000


Modes: 12V&24V 12V Norm

26A 12V Cold/AGM 24V Norm

12V AGM+

16V AGM Racing

+ JumpCharge [Vehicle Starting]







Start-Stop.

Counteracts increased cyclic energy demands placed on batteries in micro-hybrid vehicles.



Firewall.

Multi-level safety barrier prevents unsafe and abnormal conditions.



Optimization.

Stabilizes internal battery chemistry for increased performance and longevity.



Load Tracking.

Dynamically changes charge current when a load is placed on the battery.



Diagnostics.

Intuitive visual diagnostic tool for detecting reverse polarity, low-voltage or damaged batteries.



Energy-Save.

Minimizes energy consumption when full power is not needed.



Thermal Monitor.

Internal temperature sensors adjust charge based on ambient climate.



Safe.

Protects against reverse polarity, sparks, overcharging, overcurrent, open-circuits, short-circuits and overheating.



Memory.

Returns to last selected mode when restarted.



Interactive.

Alters the charging process based on organic battery feedback.



Recovery.

Applies a high-voltage pulse charge when low-voltage, sulfation or lost capacity is detected.



Rugged.

Dirt, water, UV, impact and crush resistant.



CANBUS.

Automatically enables the charging port to charge CANBUS systems.



Maintenance Plus.

Keeps the battery fully charged without overcharging, indefinitely.



92% Efficiency.

Precision aluminum body, waterproof-tamperproof interface, compact industrial on-board chargers.



 $3\ \text{models}$ available, same compact size & advanced features:

GX244024V 40A

GX3626 36V 26A

GX482048V 20A



Waterproof smart charging.

Designed for marine and industrial applications where durbility is crucial. Completely sealed, 100% waterproof.





GEN112V 10A



GEN2 12V 20A 2 Bank





genius genius

GEN3
12V 30A
3 Bank

genius



GEN412V 40A 4 Bank

GENM3

12V 12A

3 Bank









Waterproof.

100% completely sealed, protects against extreme working environments & rated at IP68.



Safe.

Protects against reverse polarity, sparks, overcharging, overcurrent, open-circuits, short-circuits and overheating.



Firewall.

Multi-level safety barrier prevents unsafe and abnormal conditions.



Interactive.

Alters the charging process based on organic battery feedback.



Recovery.

Applies a high-voltage pulse charge when low-voltage, sulfation or lost capacity is detected.



Optimization.

Stabilizes internal battery chemistry for increased performance and longevity.



Ignition Protected.

Non-igniting and temperature controlled for safe and worry-free operation.



Power the adventure.

Ultra-compact, rugged and expandable mobile power products. Collect power from the sun and recharge on the go.



Rugged. P65

Water, dust and impact resistant.

Lithium battery packs.

3000mAh 11.1Wh 1A IN/OUT



3000mAh

11.1Wh

1A IN/OUT

6000mAh 22.2Wh 2.1A IN/OUT



12000mAh 44.4Wh 2.1A IN/OUT












XGB12





In The Box

- XGS9 9W Solar Panel
- 40" USB Cable
- 5V FLEX USB Regulator
- XGB3L Battery Pack+Flashlight







Light, always ready.

250 Lumens

CHARGELIGHT®







UltraSafe Samsung
Lithium Battery



Wireless Charging Station w/Integrated USB Port

Precision Optics

Brilliant Light



CREE XT-E
Professional Grade LED





SOLAR 5

5W Solar Battery Charger + Maintainer.




SOLAR 2

2.5W Solar Battery Charger + Maintainer.





Built-in LED power indicator. Compatible with all NOCO X-Connect accessories.



Multiple Battery Chemistries.

Safely charges Wet, Gel, MF & AGM batteries.

Waterproof.

Weather resistant solar charger for outdoor use rated at IP65.

UV Resistant.

Engineered to take the abuse of the sun through the use of color stabilization and UV inhibitors.

Designed for Safety.

Short circuit, open circuit, overheat & overcurrent protected.

Thin Film Technology.

Works well in low-light, cloudy and overcast conditions.

Black Current Protection.

Protects the battery from accidental back current drain at night.

Ultra Low-Profile.

Unique low-profile design for a light-weight, compact charger.

Rugged Frame.

Made from an engineered polymer for high-strength and durability.

NOCO CONNECT Accessories.

GC001 Battery Clamp Connector GC002 Eyelet Terminal Connector GC003 12V Plug Connector GC004 10' Extension Cable

GC008 XL Eyelet Terminal Connector

GC009 SAE Adapter

GC010 12V Plug Female Outlet

GC011 12V Plug Connector (Dual Size) GC008 XL Eyelet Terminal Connector

GC009 SAE Adapter

GC010 12V Plug Female Outlet

GC011 12V Plug Connector (Dual Size)

GC012 OBDII Connector

GC013 Male-to-Male Coupler

GC014 12V Eyelet Battery Indicator GC015 12V Eyelet Battery Indicator

GC016 12V Dashmount Battery Indicator

Expand & connect.





GC032 HD Battery Clamp w/Integrated Eyelet Connector

12V Accessories.

GC017 12V Plug Socket with Battery Clamps GC018 12V Plug Socket with Eyelet Terminals GC019 12V Plug 10' Extension Cable

GC020 12V Plug 2 Way Spliiter



